

Jerith Liberty

5/8" Picket | *Economical* |    



- 3** Panel Options
- 8** Post Options
- 12** Caps & Accessories
- 13** Custom Finishes
- 14** Construction Specification 32 31 19
- 17** Limited Lifetime Warranty
- 18** Swing Gates
- 23** Accent Gates
- 27** Rainbow Gates
- 32** Gate Hardware

Jerith Liberty's exclusive HS-35™ Aluminum Alloy delivers superior strength and durability for years of maintenance-free peace of mind.

JERITH.COM **800-344-2242**

Jerith


ASSA ABLOY

Jerith Liberty


5/8" Picket | Economical

5/8" sq x .050" wall PICKETS | 1" x 1" (.060" side / .055" top) RAILS | 2" sq x .060" wall POSTS


STYLE OPTIONS




#000




#101



#200 (DB)



#202 (DB)



Safety-Pup

(DB): Drop Bottom

COLORS

- Black
- Bronze
- White



GATES

Gates match the fence style and are available in standard or arched designs.



QUALITY & STYLE

When we started manufacturing ornamental aluminum fences around 50 years ago, we made a commitment to producing only durable, high-quality, 100% American-made products. That commitment has become the backbone of our reputation and our promise to you.



LIFETIME LIMITED WARRANTY

Every fence comes with a lifetime warranty, made possible by our FencCoat™ finish and HS-35™ Aluminum Alloy.



DOMESTIC MANUFACTURING


Jerith is committed to providing products that are 100% extruded, coated, fabricated, assembled and packaged in the USA.

TO PLACE YOUR ORDER, CALL 800-344-2242 | VISIT JERITH.COM

Jerith Liberty

PANEL OPTIONS

STANDARD & DROP BOTTOM OPTIONS AVAILABLE



- (A)** 2"sq x .060" wall (standard) or .125" wall POSTS
- (B)** 5/8"sq x .050" wall PICKETS
- (C)** 1" x 1" (0.060" side / 0.055" top) RAILS
- (D)** 4', 54", 5' & 6' PANEL HEIGHTS
- (E)** 3.816" STANDARD or 1.596" AIR SPACE

**Refer to construction specification
within this section for product details.**

Jerith Liberty


PANEL OPTIONS

STYLE #000 | 2-RAIL PANELS

DROP BOTTOM | 6' PANEL LENGTH (72" actual width) | 15 PICKETS PER PANEL | 35 PANELS PER PALLET

HEIGHT	ITEM NUMBER	WEIGHT	STOCKING	POOL
4'	LI48⊗000SN2	8 lbs	<u>B</u>	

HEIGHT	ITEM NUMBER	WEIGHT	STOCKING	HILL COUNTRY*	POOL
4'	LI48⊗000SN2RK	8 lbs	<u>B</u>		



#000

⊗ = COLOR OPTIONS AVAILABLE | B = Black Z = Bronze W = White

⊙ = NON-STOCKED PRODUCT

For details, see Jerith's Sales Policy in the catalog guide.


*Built for excessive rackability

STYLE #101 | 3-RAIL PANELS

STANDARD BOTTOM | 6' PANEL LENGTH (72" actual width) | 15 PICKETS PER PANEL | 35 PANELS PER PALLET

HEIGHT	ITEM NUMBER	WEIGHT	STOCKING
4'	LI48⊗101SN3	9 lbs	<u>B</u>
5'	LI60⊗101SN3	11 lbs	<u>B</u>

HEIGHT	ITEM NUMBER	WEIGHT	STOCKING	HILL COUNTRY*
4'	LI48⊗101SN3RK	9 lbs	<u>B</u>	
5'	LI60⊗101SN3RK	11 lbs	<u>B</u>	



#101

⊗ = COLOR OPTIONS AVAILABLE | B = Black Z = Bronze W = White

⊙ = NON-STOCKED PRODUCT

For details, see Jerith's Sales Policy in the catalog guide.


*Built for excessive rackability

STYLE #101 | 4-RAIL PANELS

STANDARD BOTTOM | 6' PANEL LENGTH (72" actual width) | 15 PICKETS PER PANEL | 35 PANELS PER PALLET

HEIGHT	ITEM NUMBER	WEIGHT	STOCKING	POOL
6'	LI72⊗101SN4	13 lbs	⊙	

HEIGHT	ITEM NUMBER	WEIGHT	STOCKING	HILL COUNTRY*	POOL
6'	LI72⊗101SN4RK	13 lbs	⊙		



#101

⊗ = COLOR OPTIONS AVAILABLE | B = Black Z = Bronze W = White

⊙ = NON-STOCKED PRODUCT

For details, see Jerith's Sales Policy in the catalog guide.

NOTE: 4-rail is standard for 6' height, 3-rail is standard for all other heights

*Built for excessive rackability




Jerith Liberty

PANEL OPTIONS

STYLE #200 | 3-RAIL PANELS

STANDARD BOTTOM | 6' PANEL LENGTH (72" actual width) | 15 PICKETS PER PANEL | 35 PANELS PER PALLET

HEIGHT	ITEM NUMBER	WEIGHT	STOCKING	POOL
4'	LI48@200SN3	9 lbs	<u>B</u>	
5'	LI60@200SN3	11 lbs	<u>B</u>	


HEIGHT	ITEM NUMBER	WEIGHT	STOCKING	HILL COUNTRY*	POOL
4'	LI48@200SN3RK	9 lbs	<u>B</u>		
5'	LI60@200SN3RK	11 lbs	<u>B</u>		

⊗ = COLOR OPTIONS AVAILABLE | B = Black Z = Bronze W = White

⊙ = NON-STOCKED PRODUCT

For details, see Jerith's Sales Policy in the catalog guide.

*Built for excessive rackability






#200

STYLE #200 | 3-RAIL PANELS

DROP BOTTOM | 6' PANEL LENGTH (72" actual width) | 15 PICKETS PER PANEL | 35 PANELS PER PALLET

HEIGHT	ITEM NUMBER	WEIGHT	STOCKING	POOL
4'	LI48@200SN3DB	9 lbs	⊙	
54"	LI54@200SN3DB	9 lbs	<u>B</u>	


HEIGHT	ITEM NUMBER	WEIGHT	STOCKING	HILL COUNTRY*	POOL
4'	LI48@200SN3DBRK	9 lbs	⊙		
54"	LI54@200SN3DBRK	9 lbs	⊙		

⊗ = COLOR OPTIONS AVAILABLE | B = Black Z = Bronze W = White

⊙ = NON-STOCKED PRODUCT

For details, see Jerith's Sales Policy in the catalog guide.

*Built for excessive rackability



#200

STYLE #200 | 4-RAIL PANELS

STANDARD BOTTOM | 6' PANEL LENGTH (72" actual width) | 15 PICKETS PER PANEL | 35 PANELS PER PALLET

HEIGHT	ITEM NUMBER	WEIGHT	STOCKING	POOL
6'	LI72@200SN4	13 lbs	⊙	

HEIGHT	ITEM NUMBER	WEIGHT	STOCKING	HILL COUNTRY*	POOL
6'	LI72@200SN4RK	13 lbs	⊙		


⊗ = COLOR OPTIONS AVAILABLE | B = Black Z = Bronze W = White

⊙ = NON-STOCKED PRODUCT

For details, see Jerith's Sales Policy in the catalog guide.

NOTE: 4-rail is standard for 6' height, 3-rail is standard for all other heights

*Built for excessive rackability



#200




Jerith Liberty


PANEL OPTIONS

STYLE #202 | 3-RAIL PANELS

STANDARD BOTTOM | 6' PANEL LENGTH (72" actual width) | 15 PICKETS PER PANEL | 35 PANELS PER PALLET

HEIGHT	ITEM NUMBER	WEIGHT	STOCKING	POOL
4'	LI48⊗202SN3	9 lbs	<u>B</u>	
5'	LI60⊗202SN3	11 lbs	<u>B</u>	

HEIGHT	ITEM NUMBER	WEIGHT	STOCKING	HILL COUNTRY*	POOL
4'	LI48⊗202SN3RK	9 lbs	<u>B</u>		
5'	LI60⊗202SN3RK	11 lbs	<u>B</u>		



#202

⊗ = COLOR OPTIONS AVAILABLE | B = Black Z = Bronze W = White
 ⊙ = NON-STOCKED PRODUCT


For details, see Jerith's Sales Policy in the catalog guide.
 *Built for excessive rackability

STYLE #202 | 3-RAIL PANELS

DROP BOTTOM | 6' PANEL LENGTH (72" actual width) | 15 PICKETS PER PANEL | 35 PANELS PER PALLET

HEIGHT	ITEM NUMBER	WEIGHT	STOCKING	POOL
4'	LI48⊗202SN3DB	9 lbs	<u>B</u>	
54"	LI54⊗202SN3DB	10 lbs	<u>B</u>	

HEIGHT	ITEM NUMBER	WEIGHT	STOCKING	HILL COUNTRY*	POOL
4'	LI48⊗202SN3DBRK	9 lbs	⊙		
54"	LI54⊗202SN3DBRK	10 lbs	<u>B</u>		



#202

⊗ = COLOR OPTIONS AVAILABLE | B = Black Z = Bronze W = White
 ⊙ = NON-STOCKED PRODUCT


For details, see Jerith's Sales Policy in the catalog guide.
 *Built for excessive rackability

STYLE #202 | 4-RAIL PANELS

STANDARD BOTTOM | 6' PANEL LENGTH (72" actual width) | 15 PICKETS PER PANEL | 35 PANELS PER PALLET

HEIGHT	ITEM NUMBER	WEIGHT	STOCKING
6'	LI72⊗202SN4	13 lbs	⊙

HEIGHT	ITEM NUMBER	WEIGHT	STOCKING	HILL COUNTRY*
6'	LI72⊗202SN4RK	13 lbs	⊙	



#202

⊗ = COLOR OPTIONS AVAILABLE | B = Black Z = Bronze W = White
 ⊙ = NON-STOCKED PRODUCT

For details, see Jerith's Sales Policy in the catalog guide.
NOTE: 4-rail is standard for 6' height, 3-rail is standard for all other heights
 *Built for excessive rackability

Jerith Liberty

PANEL OPTIONS

STYLE SAFETY-PUP | 4-RAIL PANELS


STANDARD BOTTOM | 6' PANEL LENGTH (72" actual width) | 15/31 PICKETS PER PANEL | 35 PANELS PER PALLET

HEIGHT	ITEM NUMBER	WEIGHT	STOCKING
4'	L148ⓧ202SN4PUP	13 lbs	⓪
5'	L160ⓧ202SN4PUP	18 lbs	⓪
6'	L172ⓧ202SN4PUP	23 lbs	⓪

ⓧ = COLOR OPTIONS AVAILABLE | **B** = Black **Z** = Bronze **W** = White

⓪ = NON-STOCKED PRODUCT

For details, see Jerith's Sales Policy in the catalog guide.



#SAFETY-PUP

Jerith Liberty

POST OPTIONS

STANDARD POSTS

AVAILABLE IN BOX QTY | SCREWS AND FLAT CAPS INCLUDED WITH EACH POST

2" POST x .060" WALL							
BOTTOM RAIL TREATMENT	RAIL	HEIGHT	STYLE	LENGTH	ITEM NUMBER	BOX QTY	BOX WEIGHT
STANDARD	3 RAIL	4'	#101	70"	KRS70⊗100⊕P48	9	36 lbs
			#200, #202	70"	KRS70⊗200⊕P48	9	36 lbs
		5'	#101	82"	KRS82⊗100⊕P60	9	45 lbs
			#200, #202	82"	KRS82⊗200⊕P60	9	45 lbs
	4 RAIL	4'	#SAFETY-PUP	70"	KRS70⊗PUP⊕P48	9	36 lbs
			#SAFETY-PUP	82"	KRS82⊗PUP⊕P60	9	45 lbs
		6'	#101,	100"	KRS100⊗100⊕P72	9	63 lbs
			#200, #202	100"	KRS100⊗200⊕P72	9	63 lbs
			#SAFETY-PUP	100"	KRS100⊗PUP⊕P72	9	63 lbs
	DROP BOTTOM	2 RAIL	4'	#000	70"	KOV70⊗⊕P48	9
3 RAIL		4'	#200, #202	70"	KRS70⊗200⊕P48DB	9	36 lbs
		54"	#200, #202	82"	KRS82⊗200⊕P54	9	45 lbs

2" GATE POST x .125" WALL							
BOTTOM RAIL TREATMENT	RAIL	HEIGHT	STYLE	LENGTH	ITEM NUMBER	BOX QTY	BOX WEIGHT
STANDARD	3 RAIL	4'	#101	70"	KRS70⊗100GP48	9	63 lbs
			#200, #202	70"	KRS70⊗200GP48	9	63 lbs
		5'	#101	82"	KRS82⊗100GP60	9	72 lbs
			#200, #202	82"	KRS82⊗200GP60	9	72 lbs
	4 RAIL	4'	#SAFETY-PUP	70"	KRS70⊗PUPGP48	9	63 lbs
			#SAFETY-PUP	82"	KRS82⊗PUPGP60	9	72 lbs
		6'	#101,	100"	KRS100⊗100GP72	9	90 lbs
			#200, #202	100"	KRS100⊗200GP72	9	90 lbs
			#SAFETY-PUP	100"	KRS100⊗PUPGP72	9	90 lbs
	DROP BOTTOM	2 RAIL	4'	#000	70"	KOV70⊗ GP48	9
3 RAIL		4'	#200, #202	70"	KRS70⊗200GP48DB	9	63 lbs
		54"	#200, #202	82"	KRS82⊗200GP54	9	72 lbs

⊗ = COLOR OPTIONS AVAILABLE | **B** = Black **Z** = Bronze **W** = White

⊕ = POST TYPE | **L** = Line **E** = End **C** = Corner

NOTE: Screws and flat caps are included with the posts

Jerith Liberty

POST OPTIONS

OPTIONAL POSTS

AVAILABLE IN BOX QTY | SCREWS AND FLAT CAPS INCLUDED WITH EACH POST

2-½" POST x .075" WALL							
BOTTOM RAIL TREATMENT	RAIL	HEIGHT	STYLE	LENGTH	ITEM NUMBER	BOX QTY	BOX WEIGHT
STANDARD	3 RAIL	4'	#101	70"	KINRS70ⓧ100ⓧP48	9	54 lbs
			#200, #202	70"	KINRS70ⓧ200ⓧP48	9	54 lbs
		5'	#101	82"	KINRS82ⓧ100ⓧP60	9	63 lbs
			#200, #202	82"	KINRS82ⓧ200ⓧP60	9	63 lbs
	4 RAIL	4'	#SAFETY-PUP	70"	KINRS70ⓧPUPⓧP48	9	54 lbs
			#SAFETY-PUP	82"	KINRS82ⓧPUPⓧP60	9	63 lbs
		6'	#101	100"	KINRS100ⓧ100ⓧP724	9	72 lbs
			#200, #202	100"	KINRS100ⓧ200ⓧP724	9	72 lbs
			#SAFETY-PUP	100"	KINRS100ⓧPUPⓧP724	9	72 lbs
DROP BOTTOM	2 RAIL	4'	#000	70"	KINOV70ⓧⓧP48	9	54 lbs
	3 RAIL	4'	#200, #202	70"	KINRS70ⓧ200ⓧP48DB	9	54 lbs
		54"	#200, #202	82"	KINRS82ⓧ200ⓧP54	9	63 lbs

2-½" GATE POST x .125" WALL							
BOTTOM RAIL TREATMENT	RAIL	HEIGHT	STYLE	LENGTH	ITEM NUMBER	BOX QTY	BOX WEIGHT
STANDARD	3 RAIL	4'	#101	70"	KINRS70ⓧ100GP48	9	54 lbs
			#200, #202	70"	KINRS70ⓧ200GP48	9	54 lbs
		5'	#101	82"	KINRS82ⓧ100GP60	9	63 lbs
			#200, #202	82"	KINRS82ⓧ200GP60	9	63 lbs
	4 RAIL	4'	#SAFETY-PUP	70"	KINRS70ⓧPUPGP48	9	54 lbs
			#SAFETY-PUP	82"	KINRS82ⓧPUPGP60	9	63 lbs
		6'	#101	100"	KINRS100ⓧ100GP724	9	72 lbs
			#200, #202	100"	KINRS100ⓧ200GP724	9	72 lbs
			#SAFETY-PUP	100"	KINRS100ⓧPUPGP724	9	72 lbs
DROP BOTTOM	2 RAIL	4'	#000	70"	KINOV70ⓧⓧGP48	9	54 lbs
	3 RAIL	4'	#200, #202	70"	KINRS70ⓧ200GP48DB	9	54 lbs
		54"	#200, #202	82"	KINRS82ⓧ200GP54	9	63 lbs

ⓧ = COLOR OPTIONS AVAILABLE | **B** = Black **Z** = Bronze **W** = White

NOTE: Screws and flat caps are included with the posts

Jerith Liberty

POST OPTIONS

OPTIONAL POSTS

AVAILABLE IN BOX QTY | SCREWS AND FLAT CAPS INCLUDED WITH EACH POST

3" POST x .090" WALL							
BOTTOM RAIL TREATMENT	RAIL	HEIGHT	STYLE	LENGTH	ITEM NUMBER	BOX QTY	BOX WEIGHT
STANDARD	3 RAIL	4'	#101	70"	KCS70⊗100◇P48	4	32 lbs
			#200, #202	70"	KCS70⊗200◇P48	4	32 lbs
		5'	#101	82"	KCS82⊗100◇P60	4	36 lbs
			#200, #202	82"	KCS82⊗200◇P60	4	36 lbs
	4 RAIL	4'	#SAFETY-PUP	70"	KCS70⊗PUP◇P48	4	32 lbs
			#SAFETY-PUP	82"	KCS82⊗PUP◇P60	4	36 lbs
		6'	#101	100"	KCS100⊗100◇P724	4	44 lbs
			#200, #202	100"	KCS100⊗200◇P724	4	44 lbs
			#SAFETY-PUP	100"	KCS100⊗PUP◇P724	4	44 lbs
			#SAFETY-PUP	100"	KCS100⊗PUP◇P724	4	44 lbs
DROP BOTTOM	2 RAIL	4'	#000	70"	KCSOV70⊗◇P48	4	32 lbs
	3 RAIL	4'	#200, #202	70"	KCS70⊗200◇P48DB	4	32 lbs
		54"	#200, #202	82"	KCS82⊗200◇P54	4	36 lbs

3" GATE POST X .125" WALL							
BOTTOM RAIL TREATMENT	RAIL	HEIGHT	STYLE	LENGTH	ITEM NUMBER	BOX QTY	BOX WEIGHT
STANDARD	3 RAIL	4'	#101	70"	KCS70⊗100GP48	4	44 lbs
			#200, #202	70"	KCS70⊗200GP48	4	44 lbs
		5'	#101	82"	KCS82⊗100GP60	4	48 lbs
			#200, #202	82"	KCS82⊗200GP60	4	48 lbs
	4 RAIL	4'	#SAFETY-PUP	70"	KCS70⊗PUPGP48	4	44 lbs
			#SAFETY-PUP	82"	KCS82⊗PUPGP60	4	48 lbs
		6'	#101	100"	KCS100⊗100GP724	4	56 lbs
			#200, #202	100"	KCS100⊗200GP724	4	56 lbs
			#SAFETY-PUP	100"	KCS100⊗PUPGP724	4	56 lbs
			#SAFETY-PUP	100"	KCS100⊗PUPGP724	4	56 lbs
DROP BOTTOM	2 RAIL	4'	#000	70"	KCSOV70⊗GP48	4	44 lbs
	3 RAIL	4'	#200, #202	70"	KCS70⊗200GP48DB	4	44 lbs
		54"	#200, #202	82"	KCS82⊗200GP54	4	48 lbs

⊗ = COLOR OPTIONS AVAILABLE | B = Black Z = Bronze W = White

◇ = POSTTYPE | L = Line E = End C = Corner

NOTE: Screws and flat caps are included with the posts

Jerith Liberty

POST OPTIONS

OPTIONAL POSTS

AVAILABLE IN BOX QTY | SCREWS AND FLAT CAPS INCLUDED WITH EACH POST

4" GATE POST x .125" WALL			
LENGTH	ITEM NUMBER	BOX QTY	BOX WEIGHT
84"	K84⊗4P	1	19 lbs
105"	K105⊗4P	1	24 lbs


⊗ = COLOR OPTIONS AVAILABLE | **B** = Black **Z** = Bronze **W** = White

NOTE: Screws and flat caps are included with the posts

Jerith Liberty


CAPS & ACCESSORIES

POST CAPS



FLAT CAP
Aluminum

SIZE	ITEM NUMBER	QTY	WT. EACH
2"sq. x 2" sq.	⊗CP2PSJ	1	0.12 lbs



BALL CAP
Aluminum

2"sq. x 2" sq.	⊗BC2PSJ	1	0.3 lbs
----------------	---------	---	---------

⊗ = COLOR OPTIONS AVAILABLE | **B** = Black **Z** = Bronze **W** = White


PANEL ACCESSORIES



PUPPY MESH

SIZE	ITEM NUMBER	QTY	WT. EACH
24" x 70-1/2"	PA24⊗PUPSN	1	8.4 lb


Includes eight (8) zip ties.



DECK MOUNT

2"	⊗DMC2	1	0.92 lb
2-1/2"	⊗DMC25	1	1.05 lb

Not recommended for fence higher than 48"




WALL MOUNT

1" x 1"	RS⊗WMC	1	0.16 lb
---------	--------	---	---------



ADJUSTABLE WALL MOUNT

1" x 1"	RS⊗AWM	1	0.17 lb
---------	--------	---	---------



SELF DRILLING SCREW

#10 x 1"	⊗101PSJ	6/18/27	0.003 lb
----------	---------	---------	----------

⊗ = COLOR OPTIONS AVAILABLE | **B** = Black **Z** = Bronze **W** = White

Jerith Liberty

CUSTOM FINISHES

CUSTOM FINISHES



**TOUCH UP
PAINT**
.6 OZ.

ITEM NUMBER	QTY	WT. EACH
⊗BOT	1	0.6 oz



SPRAY PAINT
4.5 OZ.

⊗CAN	1	4.5 oz
------	---	--------

⊗ = COLOR OPTIONS AVAILABLE | **B** = Black **Z** = Bronze **W** = White

Jerith Liberty

CONSTRUCTION SPECIFICATION 32 31 19

ALUMINUM ORNAMENTAL FENCE SYSTEM

PART 1 - GENERAL

1.01 WORK INCLUDED

The contractor shall provide all labor, materials, and appurtenances necessary for installation of the residential aluminum fence system defined herein at (specify project site).

1.02 RELATED WORK

Section ___ - Earthwork

Section ___ - Concrete

1.03 SYSTEM DESCRIPTION

The manufacturer shall supply a total fence system of Jerith Liberty® Aluminum, (for standard picket space, specify style #000, #101, #200, #202, or SafetyPup) design, (specify standard or drop) bottom rail treatment. The system shall include all components (i.e., panels, posts, gates, and hardware) required.

1.04 QUALITY ASSURANCE

The contractor shall provide laborers and supervisors who are thoroughly familiar with the type of construction involved and materials and techniques specified.

1.05 REFERENCES

- **ASTM B117** – Practice for Operating Salt Spray (Fog) Apparatus
- **ASTM B221** – Standard Specification for Aluminum and Aluminum-Alloy Extruded Bars, Rods, Wire, Profiles & Tubes
- **ASTM B85** – Standard Specification for Aluminum-Alloy Die Castings
- **ASTM D2247** – Standard Practice for Testing Water Resistance of Coatings in 100% Relative Humidity
- **ASTM F2957** – Specification for Ornamental Aluminum Fence Systems

1.06 SUBMITTAL

The manufacturer's submittal package including literature shall be submitted prior to installation to confirm compliance with all requirements for materials specified in this section.

1.07 PRODUCT HANDLING AND STORAGE

Upon receipt at the job site, all materials shall be checked to ensure that no damage occurred during shipping or handling. Materials shall be stored in such a manner to ensure proper ventilation and drainage, and to protect against damage, weather, vandalism, and theft.

1.08 PRODUCT WARRANTY

All fence components (i.e., rails, pickets, and posts) shall be warranted limited lifetime as specified within the product warranty document. Warranty shall cover any defects in workmanship and material finish including cracking, peeling, chipping, blistering, or corroding.

PART 2 - MATERIALS

2.01 MANUFACTURER

The manufacturer shall supply a total fence system of Jerith Liberty® Aluminum, (for standard picket space, specify style #000, #101, #200, #202, or SafetyPup) design, (specify standard or drop) bottom rail treatment, manufactured by Jerith Manufacturing LLC, Philadelphia, PA.

2.02 MATERIAL

- Material for fence framework (i.e., pickets, rails, and posts) shall be extruded from HS-35™ aluminum alloy conforming to the requirements of ASTM B221. Aluminum extrusions for posts and rails shall be alloy and temper designation 6005-T5 with a minimum yield strength of 35,000 psi. The aluminum extrusions for pickets shall be alloy and temper designation 6063-T5 with a minimum yield strength of 25,000 psi.
- Pickets shall be 5/8" square x .050" thick. Horizontal rails shall be 1" (.060 side wall) x 1" (.055" top wall) profile.

Jerith Liberty

CONSTRUCTION SPECIFICATION 32 31 19

- C. At every picket to rail intersection, pickets shall be affixed to rails using stainless steel fasteners. Rail to post connections shall be made using stainless steel screws with heads painted to match the color of the fence.
- D. Accessories: Aluminum castings shall be used for all post caps, scrolls, finials, and other miscellaneous hardware and conforming to the requirements of ASTM B85 for superior corrosion resistance. Hinges and latches shall be fabricated from aluminum, stainless steel, or composite materials.

2.03 MANUFACTURER

The manufactured fence system shall be subjected to the Jerith FencCoat™ coating process. This multi-phase coating process includes a three-stage pretreatment for uniform chemical conversion resulting in superior adhesion, followed by an electrostatic spray application of TGIC polyester powder for a cured minimum thickness of 2 mils (0.0508mm). The color shall be (specify Black, Bronze or White). The multi-layered powder coated fence system shall be capable of meeting the performance requirements for each quality characteristic shown in Table 2.

2.04 FABRICATION

- A. Horizontal rails shall be punched to accept pickets. There shall be a minimum 3 rails for each fence section, with the exception of style #000 (4' height). Pickets shall be pre-punched to accept rail to picket connection. Pickets shall be affixed to rails using stainless steel screws. Posts shall be pre-punched to accept fence section rails. Rails shall be affixed to post using manufacturer provided fasteners at every intersection. Die cast aluminum caps shall be provided with all posts. Fence posts and gate posts shall meet the minimum size requirements of Table 1.
- B. Gates shall be of welded construction with welds at every picket to rail intersection and rail to gate upright intersection. Gates shall be capable of supporting a 250 lb. vertical load without permanent deformation.
- C. Assembled sections shall be capable of supporting a 350 lb. vertical load at the midpoint of any horizontal rail without permanent deformation.
- D. Fence system shall meet minimum requirements within ASTM F2957. Manufacturer's logo shall be visible on all post caps and fence section rails.

PART 3 - EXECUTION

3.01 PREPARATION

All new installation shall be laid out by the contractor in accordance with the construction plans.

3.02 FENCE INSTALLATION

Fence posts shall be spaced according to Table 3. For installations that must be raked to follow sloping grades, the post spacing dimension must be measured along the grade. Fence panels rails shall be inserted into punched posts and affixed with fasteners. Posts shall be set in concrete footers per manufacturer's recommendation (Note: In some cases, local restrictions of freezing weather conditions may require a greater depth). The "Earthwork" and "Concrete" sections of this specification shall govern material requirements for the concrete footer. Posts setting by other methods such as plated posts or grouted core-drilled footers are permissible only if shown by engineering analysis to be sufficient in strength for the intended application.

3.03 FENCE INSTALLATION MAINTENANCE

When cutting/drilling rails or posts adhere to the following steps to seal the exposed surfaces; 1) Remove all metal shavings from cut area. 2) Apply custom finish paint matching fence color. Failure to seal exposed surfaces per steps 1 & 2 above will negate warranty. Spray cans or paint pens shall be used to finish exposed surfaces; it is recommended that paint pens be used to prevent overspray. Use of non-Jerith parts or components will negate the manufacturer's warranty.

3.04 GATE INSTALLATION

Gate posts shall be spaced according to the manufacturer's gate drawings, dependent on standard out-to-out gate leaf dimensions and gate hardware selected. Type and quantity of gate hinges shall be based on the application, weight, height, and number of gate cycles. The manufacturer's gate drawings shall identify the necessary gate hardware required for the application. Gate hardware shall be provided by the manufacturer of the gate and shall be installed per manufacturer's recommendations.

3.05 CLEANING

The contractor shall clean the jobsite of excess materials; post-hole excavations shall be scattered uniformly away from posts.

SEE REFERENCED TABLES ON THE FOLLOWING PAGE

Jerith Liberty

CONSTRUCTION SPECIFICATION 32 31 19

TABLE 1 | JERITH LIBERTY | MINIMUM POST SIZE

FENCE HEIGHT	FENCE POSTS
UP TO 6' HEIGHT	2" X 2" X .060" ALUMINUM

GATE LEAF	GATE HEIGHT – UP TO & INCLUDING 6' HEIGHT
UP TO 6' WIDTH	2" X 2" X .125" ALUMINUM

TABLE 2 | JERITH LIBERTY | COATING PERFORMANCE REQUIREMENTS

QUALITY CHARACTERISTICS	METHOD	PERFORMANCE REQUIREMENTS
HUMIDITY RESISTANCE	ASTM D2247	HUMIDITY RESISTANCE OVER 3000 HOURS
CORROSION RESISTANCE	ASTM B117	CORROSION RESISTANCE OVER 3000 HOURS

TABLE 3 | JERITH LIBERTY | POST SPACING (PUNCHED POSTS)

SPAN	
POST SETTINGS	72-1/2" ON CENTER

Note: When using adjustable wall mount brackets on either or both ends of a fence section installation, care must be taken to ensure spacing between post and adjoining pickets meets applicable codes. This may require trimming one or both ends of the panel.

Jerith Liberty

LIMITED LIFETIME WARRANTY

ALUMINUM 5/8" PICKET FENCE

Jerith aluminum fence, posts, and swing gates are fabricated from the highest quality materials by skilled craftsmen to meet the highest standards of workmanship in the industry. Extruded aluminum fence system components shall be subjected to Jerith's FencCoat™ coating process, which includes a three-stage pretreatment wash followed by an electrostatic spray application of TGIC polyester powder coat finish, which provides the protection necessary to withstand adverse environmental conditions.

For Homeowners with the original proof of purchase, the powder-coated surfaces on all Jerith aluminum panels and posts are guaranteed under a Limited Lifetime Warranty for normal and proper usage without cause against cracking, peeling, chipping, blistering, or corroding. Normal and proper usage does not include physical damage or abrasion to the protective coating. Fences and Posts are guaranteed against defects in workmanship and materials during the guaranteed period. The warranty is non-transferable and is only valid to the original purchaser. Jerith Aluminum Fence is also guaranteed against defects in workmanship and materials.

The Limited Lifetime Warranty is replaced with a 30-year warranty for Commercial properties such as those owned by, and not limited to, corporations, governmental agencies, partnerships, schools, etc. The warranty on commercial properties is non-transferable.

Swing gates for Homeowners and Commercial properties, the powder-coated surfaces are guaranteed for 1-year for normal and proper usage without cause against cracking, peeling, chipping, blistering, or corroding. Material defects and workmanship are guaranteed for 1-year.

Should any aluminum fence panels, posts, or swing gates manufactured by Jerith Manufacturing fail in accordance with any of the above conditions, Jerith Manufacturing warrants to the original purchaser their redemption through replacement or renewal. The decision as to which method of redemption is allowed is solely at the discretion of Jerith.

Notice of failure under the conditions of this warranty shall be submitted via warranty claim form located at the following link (<https://bit.ly/JerithWarrantyClaim>). Form shall be submitted with all required information, original proof of purchase, description specifying the nature of defect and photographs of fence and site conditions. If contractor uses non Jerith parts/components this will negate warranty. Should the fence be improperly installed, Jerith Manufacturing shall not be responsible for guaranteed performance or appearance of the material. Neither does this guarantee apply when failure or damage is due to improper use or application, abuse or misuse, vandalism or acts of God. Jerith Manufacturing reserves the right to inspect the material to determine validity of the claim.

Upon validation of the claim by Jerith Manufacturing or its authorized representative, redemption by replacement or renewal shall be made by Jerith Manufacturing. Reimbursement for the cost of removal and installation of materials are not included in the guarantee, nor will Jerith provide those services.


The above constitutes the complete warranty by the manufacturer. No other agreement, written or implied, is valid. Jerith Manufacturing does not authorize any other person or agent to make any other express warranties. Jerith Manufacturing neither assumes nor authorizes any other person or agent to assume any other liability in connection with Jerith Aluminum Fence. Some jurisdictions do not allow limitations on how long an implied warranty lasts, nor do they allow an exclusion or limitation of incidental or consequential damages; therefore, the limitations and exclusions noted herein may not apply.

Jerith Liberty

SWING GATES

SINGLE SWING GATE

1-5/8"sq x .125" wall GATE ENDS | 5/8"sq x .050" wall PICKETS




SINGLE SWING HARDWARE & POST INTERSPACES

OPENING	LEAF WIDTH*	HC	LC	P _S
3'	34-3/4"	1/2"	3/4"	36"
4'	46-3/4"	1/2"	3/4"	48"
5'	58-3/4"	1/2"	3/4"	60"
6'	70-3/4"	1/2"	3/4"	72"

W = width* LC = latch clearance
 HC = hinge clearance P_S = gate post spacing**

** From inside to inside

*Gate Hardware sold separately.
See Gate Hardware section for specific details.*




Jerith Liberty

SWING GATES

DOUBLE SWING GATE

1-5/8"sq x .125" wall GATE ENDS | 5/8"sq x .050" wall PICKETS




DOUBLE SWING HARDWARE & POST INTERSPACES

OPENING	LEAF WIDTH*	HC	LC	P _d
6'	34-3/4"	1/2"	3/4"	36"
8'	46-3/4"	1/2"	3/4"	48"
10'	58-3/4"	1/2"	3/4"	60"
12'	70-3/4"	1/2"	3/4"	72"

W = width (x2)* LC = latch clearance
 HC = hinge clearance (x2) P_d = gate post spacing**

** From inside to inside

*Gate Hardware sold separately.
 See Gate Hardware section for specific details.*




Jerith Liberty

SWING GATES

2-RAIL SINGLE SWING GATES



DROP BOTTOM | GATE HARDWARE SOLD SEPARATELY

	OPENING	LEAF WIDTH	ITEM NUMBER	PICKET QTY	WEIGHT	STOCKING	
4' HEIGHT	3'	34-3/4"	LG48Ⓣ 00036	7	11 lbs	Ⓣ	 #000
	4'	46-3/4"	LG48Ⓣ 00048	9	13 lbs	B000	
	5'	58-3/4"	LG48Ⓣ 00060	12	15 lbs	B000	
	6'	70-3/4"	LG48Ⓣ 00072	15	17 lbs	Ⓣ	

Ⓣ = COLOR OPTIONS AVAILABLE | B = Black Z = Bronze W = White
Ⓣ = NON-STOCKED PRODUCT

3-RAIL SINGLE SWING GATES


STANDARD BOTTOM | GATE HARDWARE SOLD SEPARATELY

	OPENING	LEAF WIDTH	ITEM NUMBER	PICKET QTY	WEIGHT	STOCKING	
4' HEIGHT	3'	34-3/4"	LG48Ⓣ ☒36	7	12 lbs	Ⓣ	 #200
	4'	46-3/4"	LG48Ⓣ ☒48	9	14 lbs	<u>B200 B202 B101</u>	
	5'	58-3/4"	LG48Ⓣ ☒60	12	16 lbs	<u>B202</u>	
	6'	70-3/4"	LG48Ⓣ ☒72	15	18 lbs	Ⓣ	
5' HEIGHT	3'	34-3/4"	LG60Ⓣ ☒36	7	14 lbs	Ⓣ	 #202
	4'	46-3/4"	LG60Ⓣ ☒48	9	16 lbs	<u>B202</u>	
	5'	58-3/4"	LG60Ⓣ ☒60	12	19 lbs	<u>B202</u>	
	6'	70-3/4"	LG60Ⓣ ☒72	15	22 lbs	Ⓣ	

Ⓣ = COLOR OPTIONS AVAILABLE | B = Black Z = Bronze W = White
☒ = FENCE STYLES AVAILABLE | 101 = #101 200 = #200 202 = #202
Ⓣ = NON-STOCKED PRODUCT

3-RAIL SINGLE SWING GATES

DROP BOTTOM | GATE HARDWARE SOLD SEPARATELY

	OPENING	LEAF WIDTH	ITEM NUMBER	PICKET QTY	WEIGHT	STOCKING	
54" HEIGHT	3'	34-3/4"	LG54Ⓣ ☒36	7	13 lbs	<u>B202</u>	 #200
	4'	46-3/4"	LG54Ⓣ ☒48	9	15 lbs	<u>B202</u>	
	5'	58-3/4"	LG54Ⓣ ☒60	12	17 lbs	<u>B202</u>	
	6'	70-3/4"	LG54Ⓣ ☒72	15	20 lbs	<u>B200 B202</u>	



Ⓣ = COLOR OPTIONS AVAILABLE | B = Black Z = Bronze W = White
☒ = FENCE STYLES AVAILABLE | 200 = #200 202 = #202
Ⓣ = NON-STOCKED PRODUCT

Jerith Liberty

SWING GATES

3-RAIL SINGLE SWING GATES

DROP BOTTOM | GATE HARDWARE SOLD SEPARATELY

	OPENING	LEAF WIDTH	ITEM NUMBER	PICKET QTY	WEIGHT	STOCKING		
4' HEIGHT	3'	34-3/4"	LG48⊗ ⊠36DB	7	12 lbs	⊙		#200
	4'	46-3/4"	LG48⊗ ⊠48DB	9	14 lbs	<u>B202</u>		
	5'	58-3/4"	LG48⊗ ⊠60DB	12	16 lbs	<u>B202</u>		
	6'	70-3/4"	LG48⊗ ⊠72DB	15	18 lbs	⊙		
5' HEIGHT	3'	34-3/4"	LG60⊗ ⊠36DB	7	14 lbs	⊙		#202
	4'	46-3/4"	LG60⊗ ⊠48DB	9	16 lbs	⊙		
	5'	58-3/4"	LG60⊗ ⊠60DB	12	19 lbs	⊙		
	6'	70-3/4"	LG60⊗ ⊠72DB	15	22 lbs	⊙		


⊗ = COLOR OPTIONS AVAILABLE | **B** = Black **Z** = Bronze **W** = White

⊠ = FENCE STYLES AVAILABLE | 200 = #200 202 = #202

⊙ = NON-STOCKED PRODUCT

4-RAIL SINGLE SWING GATES

STANDARD BOTTOM | GATE HARDWARE SOLD SEPARATELY

	OPENING	LEAF WIDTH	ITEM NUMBER	PICKET QTY	WEIGHT	STOCKING		
6' HEIGHT	3'	34-3/4"	LG72⊗ ⊠36	7	17 lbs	⊙		#200
	4'	46-3/4"	LG72⊗ ⊠48	9	20 lbs	⊙		
	5'	58-3/4"	LG72⊗ ⊠60	12	23 lbs	⊙		
	6'	70-3/4"	LG72⊗ ⊠72	15	26 lbs	⊙		


⊗ = COLOR OPTIONS AVAILABLE | **B** = Black **Z** = Bronze **W** = White

⊠ = FENCE STYLES AVAILABLE | 101 = #101 200 = #200 202 = #202

⊙ = NON-STOCKED PRODUCT

4-RAIL SINGLE SAFETY-PUP SWING GATES

STANDARD BOTTOM | GATE HARDWARE SOLD SEPARATELY

	OPENING	LEAF WIDTH	ITEM NUMBER	PICKET QTY	WEIGHT	STOCKING		
4' HEIGHT	3'	34-3/4"	LG48⊗ PUP36	7/13	14 lbs	⊙		SAFETY-PUP
	4'	46-3/4"	LG48⊗ PUP48	9/19	16 lbs	⊙		
	5'	58-3/4"	LG48⊗ PUP60	12/25	20 lbs	⊙		
	6'	70-3/4"	LG48⊗ PUP72	15/29	22 lbs	⊙		
5' HEIGHT	3'	34-3/4"	LG60⊗ PUP36	7/13	16 lbs	⊙		
	4'	46-3/4"	LG60⊗ PUP48	9/19	20 lbs	⊙		
	5'	58-3/4"	LG60⊗ PUP60	12/25	23 lbs	⊙		
	6'	70-3/4"	LG60⊗ PUP72	15/29	26 lbs	⊙		

⊗ = COLOR OPTIONS AVAILABLE | **B** = Black **Z** = Bronze **W** = White

⊙ = NON-STOCKED PRODUCT




Jerith Liberty

ACCENT GATES

ACCENT GATE SPECIFICATIONS

1-5/8"sq x .125" wall GATE ENDS | 5/8"sq x .050" wall PICKETS

ACCENT GATES DIMENSIONAL DRAWING



Style #202 Shown

ACCENT GATES HARDWARE & POST INTERSPACES

OPENING	LEAF WIDTH*	HC	LC	P _S
3'	34-3/4"	1/2"	3/4"	36"
4'	46-3/4"	1/2"	3/4"	48"
5'	58-3/4"	1/2"	3/4"	60"

W = width*


HC = hinge clearance

LC = latch clearance

P_S = gate post spacing**

** From inside to inside

Gate Hardware sold separately.
See Gate Hardware section for specific details.




Jerith Liberty

ACCENT GATES

2-RAIL ACCENT GATES



DROP BOTTOM | GATE HARDWARE SOLD SEPARATELY

	OPENING	LEAF WIDTH	ITEM NUMBER	PICKET QTY	WEIGHT	STOCKING	
4' HEIGHT	3'	34-3/4"	LG48⊗ 00036AG	7	11 lbs	⊙	 #000
	4'	46-3/4"	LG48⊗ 00048AG	9	13 lbs	⊙	
	5'	58-3/4"	LG48⊗ 00060AG	12	15 lbs	⊙	

⊗ = COLOR OPTIONS AVAILABLE | **B** = Black **Z** = Bronze **W** = White
 ⊙ = NON-STOCKED PRODUCT

3-RAIL ACCENT GATES


STANDARD BOTTOM | GATE HARDWARE SOLD SEPARATELY

	OPENING	LEAF WIDTH	ITEM NUMBER	PICKET QTY	WEIGHT	STOCKING	
4' HEIGHT	3'	34-3/4"	LG48⊗ ⊠36AG	7	12 lbs	⊙	 #200
	4'	46-3/4"	LG48⊗ ⊠48AG	9	14 lbs	⊙	
	5'	58-3/4"	LG48⊗ ⊠60AG	12	17 lbs	⊙	
5' HEIGHT	3'	34-3/4"	LG60⊗ ⊠36AG	7	15 lbs	⊙	 #202
	4'	46-3/4"	LG60⊗ ⊠48AG	9	17 lbs	⊙	
	5'	58-3/4"	LG60⊗ ⊠60AG	12	20 lbs	⊙	

⊗ = COLOR OPTIONS AVAILABLE | **B** = Black **Z** = Bronze **W** = White
 ⊠ = FENCE STYLES AVAILABLE | **101** = #101 **200** = #200 **202** = #202
 ⊙ = NON-STOCKED PRODUCT

3-RAIL ACCENT GATES

DROP BOTTOM | GATE HARDWARE SOLD SEPARATELY

	OPENING	LEAF WIDTH	ITEM NUMBER	PICKET QTY	WEIGHT	STOCKING	
54" HEIGHT	3'	34-3/4"	LG54⊗ ⊠36AG	7	13 lbs	⊙	 #200
	4'	46-3/4"	LG54⊗ ⊠48AG	9	15 lbs	B200 B202	
	5'	58-3/4"	LG54⊗ ⊠60AG	12	18 lbs	B202	

⊗ = COLOR OPTIONS AVAILABLE | **B** = Black **Z** = Bronze **W** = White
 ⊠ = FENCE STYLES AVAILABLE | **200** = #200 **202** = #202


Jerith Liberty

ACCENT GATES


3-RAIL ACCENT GATES

DROP BOTTOM | GATE HARDWARE SOLD SEPARATELY

	OPENING	LEAF WIDTH	ITEM NUMBER	PICKET QTY	WEIGHT	STOCKING
4' HEIGHT	3'	34-3/4"	LG48⊗ ⊠36DBAG	7	12 lbs	⊙
	4'	46-3/4"	LG48⊗ ⊠48DBAG	9	14 lbs	⊙
	5'	58-3/4"	LG48⊗ ⊠60DBAG	12	16 lbs	⊙
5' HEIGHT	3'	34-3/4"	LG60⊗ ⊠36DBAG	7	14 lbs	⊙
	4'	46-3/4"	LG60⊗ ⊠48DBAG	9	17 lbs	⊙
	5'	58-3/4"	LG60⊗ ⊠60DBAG	12	19 lbs	⊙



#200




#202

⊗ = COLOR OPTIONS AVAILABLE | **B** = Black **Z** = Bronze **W** = White
 ⊠ = FENCE STYLES AVAILABLE | **200** = #200 **202** = #202
 ⊙ = NON-STOCKED PRODUCT


4-RAIL ACCENT GATES

STANDARD BOTTOM | GATE HARDWARE SOLD SEPARATELY


	OPENING	LEAF WIDTH	ITEM NUMBER	PICKET QTY	WEIGHT	STOCKING
6' HEIGHT	3'	34-3/4"	LG72⊗ ⊠36AG	7	17 lbs	⊙
	4'	46-3/4"	LG72⊗ ⊠48AG	9	20 lbs	⊙
	5'	58-3/4"	LG72⊗ ⊠60AG	12	23 lbs	⊙



#200



#202




#101

⊗ = COLOR OPTIONS AVAILABLE | **B** = Black **Z** = Bronze **W** = White
 ⊠ = FENCE STYLES AVAILABLE | **101** = #101 **200** = #200 **202** = #202
 ⊙ = NON-STOCKED PRODUCT

4-RAIL ACCENT GATES

STANDARD BOTTOM | GATE HARDWARE SOLD SEPARATELY

	OPENING	LEAF WIDTH	ITEM NUMBER	PICKET QTY	WEIGHT	STOCKING
4' HEIGHT	3'	34-3/4"	LG48⊗ PUP36AG	7/13	14 lbs	⊙
	4'	46-3/4"	LG48⊗ PUP48AG	9/19	17 lbs	⊙
	5'	58-3/4"	LG48⊗ PUP60AG	12/25	20 lbs	⊙
5' HEIGHT	3'	34-3/4"	LG60⊗ PUP36AG	7/13	17 lbs	⊙
	4'	46-3/4"	LG60⊗ PUP48AG	9/19	20 lbs	⊙
	5'	58-3/4"	LG60⊗ PUP60AG	12/25	24 lbs	⊙



SAFETY-PUP

⊗ = COLOR OPTIONS AVAILABLE | **B** = Black **Z** = Bronze **W** = White
 ⊙ = NON-STOCKED PRODUCT




Jerith Liberty

RAINBOW GATES

RAINBOW GATE SPECIFICATIONS

1-5/8"sq x .125" wall GATE ENDS | 5/8"sq x .050" wall PICKETS

RAINBOW GATES DIMENSIONAL DRAWING



Style #202 Shown

NOTE: Double Drive Gates consist of two gate leaves

RAINBOW GATES HARDWARE & POST INTERSPACES

OPENING	LEAF WIDTH*	HC	LC	P _d
6'	34-3/4"	1/2"	3/4"	36"
8'	46-3/4"	1/2"	3/4"	48"
10'	58-3/4"	1/2"	3/4"	60"
12'	70-3/4"	1/2"	3/4"	72"

W = width*


HC = hinge clearance

LC = latch clearance

P_d = gate post spacing**

** From inside to inside

Gate Hardware sold separately.
See Gate Hardware section for specific details.




Jerith Liberty

RAINBOW GATES

2-RAIL RAINBOW GATES

DROP BOTTOM | GATE HARDWARE SOLD SEPARATELY

	OPENING	LEAF WIDTH	ITEM NUMBER	PICKET QTY	WEIGHT	STOCKING
4' HEIGHT	3'	34-3/4"	LG48⊗ 00036AGR	7	12 lbs	⊙
	4'	46-3/4"	LG48⊗ 00048AGR	9	13 lbs	⊙
	5'	58-3/4"	LG48⊗ 00060AGR	12	15 lbs	⊙
	6'	70-3/4"	LG48⊗ 00072AGR	15	17 lbs	⊙




#000

⊗ = COLOR OPTIONS AVAILABLE | **B** = Black **Z** = Bronze **W** = White
 ⊙ = NON-STOCKED PRODUCT

3-RAIL RAINBOW GATES

STANDARD BOTTOM | GATE HARDWARE SOLD SEPARATELY


	OPENING	LEAF WIDTH	ITEM NUMBER	PICKET QTY	WEIGHT	STOCKING
4' HEIGHT	3'	34-3/4"	LG48⊗ ⊠36AGR	7	13 lbs	⊙
	4'	46-3/4"	LG48⊗ ⊠48AGR	9	15 lbs	⊙
	5'	58-3/4"	LG48⊗ ⊠60AGR	12	17 lbs	⊙
	6'	70-3/4"	LG48⊗ ⊠72AGR	15	19 lbs	⊙
5' HEIGHT	3'	34-3/4"	LG60⊗ ⊠36AGR	7	15 lbs	⊙
	4'	46-3/4"	LG60⊗ ⊠48AGR	9	17 lbs	⊙
	5'	58-3/4"	LG60⊗ ⊠60AGR	12	20 lbs	⊙
	6'	70-3/4"	LG60⊗ ⊠72AGR	15	23 lbs	⊙



#200



#202




#101

⊗ = COLOR OPTIONS AVAILABLE | **B** = Black **Z** = Bronze **W** = White
 ⊠ = FENCE STYLES AVAILABLE | **101** = #101 **200** = #200 **202** = #202
 ⊙ = NON-STOCKED PRODUCT


3-RAIL RAINBOW GATES

DROP BOTTOM | GATE HARDWARE SOLD SEPARATELY

	OPENING	LEAF WIDTH	ITEM NUMBER	PICKET QTY	WEIGHT	STOCKING
54" HEIGHT	3'	34-3/4"	LG54⊗ ⊠36AGR	7	14 lbs	⊙
	4'	46-3/4"	LG54⊗ ⊠48AGR	9	16 lbs	⊙
	5'	58-3/4"	LG54⊗ ⊠60AGR	12	18 lbs	⊙
	6'	70-3/4"	LG54⊗ ⊠72AGR	15	21 lbs	⊙



#200



#202

⊗ = COLOR OPTIONS AVAILABLE | **B** = Black **Z** = Bronze **W** = White
 ⊠ = FENCE STYLES AVAILABLE | **200** = #200 **202** = #202

Jerith Liberty

RAINBOW GATES

3-RAIL RAINBOW GATES


DROP BOTTOM | GATE HARDWARE SOLD SEPARATELY

	OPENING	LEAF WIDTH	ITEM NUMBER	PICKET QTY	WEIGHT	STOCKING
4' HEIGHT	3'	34-3/4"	LG48⊗ ⊠36DBAGR	7	12 lbs	⊙
	4'	46-3/4"	LG48⊗ ⊠48DBAGR	9	14 lbs	⊙
	5'	58-3/4"	LG48⊗ ⊠60DBAGR	12	17 lbs	⊙
5' HEIGHT	6'	70-3/4"	LG48⊗ ⊠72DBAGR	15	19 lbs	⊙
	3'	34-3/4"	LG60⊗ ⊠36DBAGR	7	15 lbs	⊙
	4'	46-3/4"	LG60⊗ ⊠48DBAGR	9	17 lbs	⊙
	5'	58-3/4"	LG60⊗ ⊠60DBAGR	12	20 lbs	⊙
	6'	70-3/4"	LG60⊗ ⊠72DBAGR	15	22 lbs	⊙


⊗ = COLOR OPTIONS AVAILABLE | **B** = Black **Z** = Bronze **W** = White

⊠ = FENCE STYLES AVAILABLE | **200** = #200 **202** = #202

⊙ = NON-STOCKED PRODUCT



#200



#202

4-RAIL RAINBOW GATES


STANDARD BOTTOM | GATE HARDWARE SOLD SEPARATELY

	OPENING	LEAF WIDTH	ITEM NUMBER	PICKET QTY	WEIGHT	STOCKING
6' HEIGHT	3'	34-3/4"	LG72⊗ ⊠36AGR	7	18 lbs	⊙
	4'	46-3/4"	LG72⊗ ⊠48AGR	9	20 lbs	⊙
	5'	58-3/4"	LG72⊗ ⊠60AGR	12	24 lbs	⊙
	6'	70-3/4"	LG72⊗ ⊠72AGR	15	27 lbs	⊙


⊗ = COLOR OPTIONS AVAILABLE | **B** = Black **Z** = Bronze **W** = White

⊠ = FENCE STYLES AVAILABLE | **101** = #101 **200** = #200 **202** = #202


⊙ = NON-STOCKED PRODUCT



#200



#202



#101

4-RAIL RAINBOW GATES

STANDARD BOTTOM | GATE HARDWARE SOLD SEPARATELY

	OPENING	LEAF WIDTH	ITEM NUMBER	PICKET QTY	WEIGHT	STOCKING
4' HEIGHT	3'	34-3/4"	LG48⊗ PUP36AGR	7/13	14 lbs	⊙
	4'	46-3/4"	LG48⊗ PUP48AGR	7/13	17 lbs	⊙
	5'	58-3/4"	LG48⊗ PUP60AGR	12/25	20 lbs	⊙
	6'	70-3/4"	LG48⊗ PUP72AGR	15/29	23 lbs	⊙
5' HEIGHT	3'	34-3/4"	LG60⊗ PUP36AGR	7/13	17 lbs	⊙
	4'	46-3/4"	LG60⊗ PUP48AGR	7/13	20 lbs	⊙
	5'	58-3/4"	LG60⊗ PUP60AGR	12/25	23 lbs	⊙
	6'	70-3/4"	LG60⊗ PUP72AGR	15/29	27 lbs	⊙

⊗ = COLOR OPTIONS AVAILABLE | **B** = Black **Z** = Bronze **W** = White

⊙ = NON-STOCKED PRODUCT




SAFETY-PUP

Jerith Liberty

GATE HARDWARE


SINGLE & DOUBLE SWING KITS



DESCRIPTION	HC	LC	ITEM NUMBER	QTY	BOX WT.
Single Gate Hardware Kit	1/2"	3/4"	KRS⓪SNGS	1	3.7 lbs

Kit includes: (2) ea. #RS⓪HIN | (1) ea. #RS⓪LAT


These kits are NOT FOR USE with gate leaves weighing over 62 lbs.



Single Gate Pool Hardware Kit	1/2"	3/4"	KRS⓪SNGSPL	1	3.07 lbs
-------------------------------	------	------	------------	---	----------

Kit includes: (2) ea. #RS⓪HIN | (1) ea. #BML


These kits are NOT FOR USE with gate leaves weighing over 62 lbs.



Double Gate Hardware Kit	1/2"	3/4"	KRS⓪DBLS-L	1	6.02 lbs
--------------------------	------	------	------------	---	----------

Kit includes: (4) ea. #RS⓪HIN | (1) ea. #RS⓪LAT | (1) ea. #BDRKL

These kits are NOT FOR USE with gate leaves weighing over 132 lbs.



Double Gate Pool Hardware Kit	1/2"	3/4"	KRS⓪DBLSPL-L	1	5.39 lbs
-------------------------------	------	------	--------------	---	----------

Kit includes: (4) ea. #RS⓪HIN | (1) ea. #BML | (1) ea. #BDRKL


These kits are NOT FOR USE with gate leaves weighing over 132 lbs.

⓪ = COLOR OPTIONS AVAILABLE | **B** = Black **Z** = Bronze **W** = White

Jerith Liberty

GATE HARDWARE


D & D GATE HARDWARE



**D & D
TRU CLOSE HINGE**
Aluminum

HINGE CLEARANCE	ITEM NUMBER	COLOR	QTY	WT. EACH
13/16"	BTCRHIN	BLACK	1	.75 lbs

With 2 legs and screws



**D & D
ADJUSTABLE
TRU CLOSE HINGE**
Aluminum

ADJUSTABLE 7/8"-2"	BTCAHIN	BLACK	1	.75 lbs
-----------------------	---------	-------	---	---------



**D & D
MAGNA LATCH
VERTICAL PULL
(SHORT)**

ADJUSTABLE	BMLS	BLACK	1	1 lb
------------	------	-------	---	------




**D & D
MAGNA LATCH
TOP PULL**

ADJUSTABLE	BML	BLACK	1	2 lbs
------------	-----	-------	---	-------




**D & D
MAGNA
LATCH ALERT**

ADJUSTABLE	BMLA	BLACK	1	2.02 lbs
------------	------	-------	---	----------



**D & D
LOKKLATCH
WITH EXTERNAL
ACCESS**

1/2"	BLLAAB	BLACK	1	.68 lbs
------	--------	-------	---	---------




**D & D
DROP ROD
KIT**

LENGTH	ITEM NUMBER	COLOR	QTY	WT. EACH
24"	BQB24	BLACK	1	.68 lbs

Jerith Liberty

GATE HARDWARE


GATE HARDWARE



SELF CLOSING HINGE

Aluminum


HINGE CLEARANCE	ITEM NUMBER	QTY	WT. EACH
1/2"	RSⓧHIN	1	.75 lbs
1/2"	KRSⓧSNG-H	2	1.32 lbs



MAGNETIC EVERLATCH

Aluminum

LATCH CLEARANCE	ITEM NUMBER	QTY	WT. EACH
3/4"	RSⓧLAT	1	.75 lbs



DROP ROD KIT

Aluminum

LENGTH	ITEM NUMBER	QTY	WT. EACH
30"	ⓧDRKS	1	2 lbs
48"	ⓧDRKL	1	2.25 lbs

ⓧ = COLOR OPTIONS AVAILABLE | **B** = Black **Z** = Bronze **W** = White